

# SAFETY DATA SHEET

## Section 1. Identification

<b>Product name</b>	DIXIE CLAY®	<b><u>In case of emergency</u></b>
<b>Code</b>	08903	1-203-295-2140
<b>Supplier/Manufacturer</b>	Vanderbilt Minerals, LLC 33 Winfield Street Norwalk, CT 06855	Chemtrec: 1-800-424-9300 Outside US: +1-703-527-3887
<b>Chemical name</b>	Hydrated aluminum silicate mineral	
<b>Synonym</b>	Clay, kaolin, kaolinite	
<b>Material uses</b>	Additive filler in rubber and paper	
<b>Product type</b>	Solid.	

### Relevant identified uses of the substance or mixture and uses advised against

Not applicable.

## Section 2. Hazards identification

<b>OSHA/HCS status</b>	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
<b>Classification of the substance or mixture</b>	CARCINOGENICITY (inhalation) - Category 1A SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) (respiratory tract) (inhalation) - Category 1

### GHS label elements

#### Hazard pictograms



<b>Signal word</b>	Danger
<b>Hazard statements</b>	May cause cancer if inhaled. Causes damage to organs through prolonged or repeated exposure if inhaled. (respiratory tract)

### Precautionary statements

<b>General</b>	Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand. Avoid excessive dust generation. Avoid breathing dust. Use only with adequate ventilation.
<b>Prevention</b>	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves. Wear eye or face protection: Recommended: splash goggles. Wear protective clothing. Do not breathe dust. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.
<b>Response</b>	Get medical attention if you feel unwell. IF exposed or concerned: Get medical attention.
<b>Storage</b>	Store locked up. Store in a dry place.

## Section 2. Hazards identification

### Disposal

Dispose of contents and container in accordance with all local, regional, national and international regulations.

### Hazards not otherwise classified

Not an acute hazard. May cause mechanical eye or skin irritation in high concentrations. Prolonged inhalation may cause lung injury. Material will become slippery when wet.

## Section 3. Composition/information on ingredients

### Substance/mixture

Substance

### Chemical name

Hydrated aluminum silicate mineral

Ingredient name	CAS number	% by weight
kaolin clay	1332-58-7	95 - 98
mica	12001-26-2	1 - 3
quartz	14808-60-7	1 - 3

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

### Description of necessary first aid measures

#### Eye contact

Flush with plenty of water for at least 15 minutes, occasionally lifting upper and lower eyelids. If irritation develops and persists, seek medical attention.

#### Skin contact

Flush skin with plenty of water. Seek medical attention if irritation develops.

#### Inhalation

Move to fresh air. If respiratory distress develops, seek medical attention.

#### Ingestion

Unlikely to be toxic by ingestion. Rinse mouth out with water. Do not induce vomiting unless directed to do so by medical personnel. Seek medical attention if significant quantities have been ingested or symptoms occur.

### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

##### Eye contact

Not a primary eye irritant. May cause mechanical irritation.

##### Skin contact

No known significant effects or critical hazards.

##### Inhalation

No known significant effects or critical hazards.

##### Ingestion

No known significant effects or critical hazards.

#### Over-exposure signs/symptoms

##### Eye contact

No specific data.

##### Skin contact

No specific data.

##### Inhalation

No specific data.

##### Ingestion

No specific data.

### Indication of immediate medical attention and special treatment needed, if necessary

#### Notes to physician

Treat symptomatically.

#### Specific treatments

No specific treatment.

#### Protection of first-aiders

No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

## Section 4. First aid measures

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

### Extinguishing media

#### Suitable extinguishing media

This product is not combustible. Use an extinguishing agent suitable for the surrounding fire.

#### Unsuitable extinguishing media

No restrictions on extinguishing media for this product.

### Specific hazards arising from the chemical

No specific fire or explosion hazard. This product is not flammable and does not support fire.

#### Hazardous thermal decomposition products

There are no hazardous decomposition products.

### Special protective actions for fire-fighters

Product may become slippery when wet.

### Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

#### For emergency responders

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

### Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### Methods and materials for containment and cleaning up

#### Small spill

Minimize dust generation.

Move containers from spill area. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor.

#### Large spill

Minimize dust generation.

Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

### Precautions for safe handling

#### Protective measures

Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

#### Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

#### Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

#### Recommended Storage

Store away from direct sunlight in dry conditions. Close container after use.

## Section 8. Exposure controls/personal protection

### Control parameters

#### Occupational exposure limits

Ingredient name	Exposure limits
kaolin clay	<b>OSHA PEL (United States).</b> TWA: 15 mg/m <sup>3</sup> total dust; 5 mg/m <sup>3</sup> respirable dust (PNOR) <b>ACGIH TLV (United States).</b> TWA: 10 mg/m <sup>3</sup> total dust; 3 mg/m <sup>3</sup> respirable dust (PNOS)
quartz	<b>OSHA PEL (United States).</b> TWA: 0.05 mg/m <sup>3</sup> from respirable fraction <b>ACGIH TLV (United States).</b> TWA: 0.025 mg/m <sup>3</sup> from respirable fraction

#### Appropriate engineering controls

If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.


Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below established levels below recommended exposure limits. If user operations generate dust, use ventilation to keep exposure to airborne contaminants below the exposure limit.

#### Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### Individual protection measures

## Section 8. Exposure controls/personal protection

<b>Hygiene measures</b>	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
<b>Eye/face protection</b>	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. Recommended: splash goggles
<b>Skin protection</b>	
<b>Hand protection</b>	Protective gloves should be worn under normal conditions of use.
<b>Body protection</b>	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
<b>Other skin protection</b>	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
<b>Respiratory protection</b>	Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Recommended: disposable particulate mask
<b>Personal protective equipment (Pictograms)</b>	

## Section 9. Physical and chemical properties

<b>Appearance</b>	
<b>Physical state</b>	Solid. [ Powder]
<b>Color</b>	White to Cream
<b>Odor</b>	Odorless.
<b>pH</b>	4.5 [Conc. (% w/w): 10%]
<b>Melting point</b>	Not available.
<b>Boiling point</b>	Not applicable.
<b>Flash point</b>	[Product does not sustain combustion.]
<b>Evaporation rate</b>	Not applicable.
<b>Vapor pressure</b>	Not applicable.
<b>Vapor density</b>	Not applicable.
<b>Relative density</b>	Not available.
<b>Solubility in water</b>	Insoluble
<b>Viscosity</b>	Not available.

## Section 10. Stability and reactivity

<b>Reactivity</b>	Not reactive
<b>Chemical stability</b>	The product is stable.
<b>Possibility of hazardous reactions</b>	Under normal conditions of storage and use, hazardous reactions will not occur.
<b>Conditions to avoid</b>	No specific data.
<b>Incompatible materials</b>	No specific data.
<b>Hazardous decomposition products</b>	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

### Information on toxicological effects

#### Acute toxicity

Not available.

#### Irritation/Corrosion

Not available.

#### Sensitization

Not available.

#### Mutagenicity

Not available.

#### Carcinogenicity

Not available.

#### **Conclusion/Summary**

KAOLIN: Published literature suggests that extremely high exposures to kaolin dust over a prolonged period of time can lead to a low category pneumoconiosis (with little respiratory disability) in a small number of workers.

CRYSTALLINE SILICA: Overexposure to respirable crystalline silica dust can cause silicosis, a form of progressive pulmonary fibrosis. "Inhalable" crystalline silica (quartz) is listed by IARC as a Group I carcinogen (lung) based on "sufficient evidence" in occupationally exposed humans and sufficient evidence in animals. Crystalline silica is also listed by the NTP as a known human carcinogen. Some studies have not demonstrated a cancer association and controversy exists concerning the IARC and NTP classification.

#### Classification

Product/ingredient name	OSHA	IARC	NTP
quartz	-	1	Known to be a human carcinogen.

#### Reproductive toxicity

Not available.

#### Teratogenicity

Not available.

#### Specific target organ toxicity (single exposure)

Not available.

## Section 11. Toxicological information

### Specific target organ toxicity (repeated exposure)

Not available.

### Aspiration hazard

Not applicable.

### Information on the likely routes of exposure

Routes of entry anticipated: Oral, Inhalation.

### Potential chronic health effects

#### **General**

Excessive exposure to any dust may aggravate pre-existing respiratory conditions.

#### **Carcinogenicity**

May cause cancer if inhaled. Risk of cancer depends on duration and level of exposure.

#### **Mutagenicity**

No known significant effects or critical hazards.

#### **Teratogenicity**

No known significant effects or critical hazards.

#### **Developmental effects**

No known significant effects or critical hazards.

#### **Fertility effects**

No known significant effects or critical hazards.

### Numerical measures of toxicity

#### Acute toxicity estimates

Not available.

#### **Other information**

Not available.

## Section 12. Ecological information

### Toxicity

Not available.

### Persistence and degradability

Not available.

### Bioaccumulative potential

Not available.

#### **Other adverse effects**

No known significant effects or critical hazards.

## Section 13. Disposal considerations

### **Disposal methods**

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and

## Section 13. Disposal considerations

sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

## Section 14. Transport information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
DOT Classification	Not regulated.	-	-	-		-
TDG Classification	Not regulated.	-	-	-		-
ADR/RID Class	Not regulated.	-	-	-		-
IMDG Class	Not regulated.	-	-	-		-
IATA-DGR Class	Not regulated.	-	-	-		-

PG\* : Packing group

## Section 15. Regulatory information

### U.S. Federal regulations

#### United States inventory (TSCA 8b)

All components are listed or exempted.

### SARA 302/304

#### Composition/information on ingredients

No products were found.

### SARA 311/312

#### Classification

Delayed (chronic) health hazard

### State regulations

#### Massachusetts

The following components are listed: Kaolin; mica; SILICA, CRYSTALLINE, QUARTZ

#### New York

None of the components are listed.

#### New Jersey

The following components are listed: KAOLIN; mica; SILICA, QUARTZ; QUARTZ (SiO<sub>2</sub>)

#### Pennsylvania

The following components are listed: Kaolin; MICA-GROUP MINERALS; QUARTZ (SiO<sub>2</sub>)

### California Prop. 65



**WARNING:** This product can expose you to crystalline silica respirable, which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

### International regulations

#### Canada inventory

All components are listed or exempted.

#### Europe inventory

All components are listed or exempted.

#### International lists



## Section 15. Regulatory information

**Australia inventory (AICS):** All components are listed or exempted.  
**China inventory (IECSC):** All components are listed or exempted.  
**Japan inventory (ENCS):** All components are listed or exempted.  
**Japan inventory (ISHL):** All components are listed or exempted.  
**Korea inventory (KECI):** All components are listed or exempted.  
**Malaysia Inventory (EHS Register):** All components are listed or exempted.  
**New Zealand Inventory of Chemicals (NZIoC):** All components are listed or exempted.  
**Philippines inventory (PICCS):** All components are listed or exempted.  
**Taiwan Chemical Substances Inventory (TCSI):** All components are listed or exempted.  
**Turkey inventory (CICR):** All components are listed or exempted.


## Section 16. Other information

### Hazardous Material Identification System (U.S.A.)

Health	*	1
Flammability		0
Physical hazards		0
Personal protection		E

\* Chronic Potential

### National Fire Protection Association (U.S.A.)



The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

### History

Date of printing	3/8/2019
Validation date	2/28/2019
Date of previous issue	5/4/2015
Version	0.02

### Key to abbreviations

ATE = Acute Toxicity Estimate  
 BCF = Bioconcentration Factor  
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
 IATA = International Air Transport Association  
 IBC = Intermediate Bulk Container  
 IMDG = International Maritime Dangerous Goods  
 LogPow = logarithm of the octanol/water partition coefficient  
 MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)  
 UN = United Nations

### Information contact

**Vanderbilt Global Services, LLC**  
**Corporate Risk Management**  
**1-203-295-2143**

Visit [www.vanderbiltminerals.com](http://www.vanderbiltminerals.com) for more information.

### Notice to reader

Information presented herein has been compiled from sources considered to be dependable and is accurate and reliable to the best of our knowledge and belief but is not guaranteed to be so. Nothing herein is to be construed as recommending any practice or any product in violation of any patent or in violation of any law or regulation. It is the user's responsibility to determine for himself the suitability of any material for a specific purpose and to adopt such safety precautions as may be necessary. We make no warranty as to the results to be obtained in using any material and, since conditions of use are not under our control, we must necessarily disclaim all liability with respect to the use of any material supplied by us.